

# NEGAHBAN

NEGAHBAN FIRE & SAFETY Co. Ltd.



Office: No.2, East Kaveh Alley, South Kaveh Exit, Sadr Highway (East), Tehran  
Postal Code:1939747622

Tel: (+98) 21 22630120 - 22630166 - 22630422 - 22630484 - 22630495  
Fax: (+98) 21 22639198

Factory: No.110/1, West 9th st., Farvardin Blvd., Safadasht Industrial Zone.  
Tel: (+98) 21 65420119 - 65420124

[www.negahbanfire.com](http://www.negahbanfire.com) [info@negahbanfire.com](mailto:info@negahbanfire.com)



BestGraphic.com  
0912 888 6100



# NEGAHBAN

FIRE & SAFETY Co. Ltd.

[www.negahbanfire.com](http://www.negahbanfire.com)





# NEGAHBAN

FIRE & SAFETY Co.



## NEGAHBAN

FIRE & SAFETY Co.

### About us:

Negahban Fire & Safety Co. established in 1981 as the first Iranian manufacturer and supplier of industrial firefighting equipment. Since then it has developed continuously and become one of the most reputable Iranian firefighting companies in the field of oil, gas and petrochemical industries.

Along with domestic manufacturing, Negahban has been in connection with international companies able to supply wide range of firefighting products for oil industry.

As the old member of Society of Iranian Petroleum Industries Equipment Manufacturers (S.O.P.I.E.M), Negahban is now included in the approved vendor list of the most renowned contractors and end user companies.

Negahban as the pioneer and knowledge enterprise company is honored that its products have been installed in most sites and plants in Iran. Satisfaction of clients during the years has caused Negahban to move forward manufacture updated firefighting products and give excellent after sales service.






## HIGH BACK PRESSURE

Negahban High Back Pressure are designed to generate expanded foam for the purpose of subsurface injection into a cone roof liquid hydrocarbon storage tanks.

MODEL:	HBPF22	HBPF24	HBPF33	HBPF46	HBPF68
CONNECTION:					
INLET	2"	2"	3"	4"	6"
OUTLET	2"	4"	3"	6"	8"
CONNECTION TYPE:					
INLET		THREAD	FLANGE:	RF FF	
OUTLET		THREAD	FLANGE:	RF FF	
BODY MATERIAL:		STAINLESS STEEL GALVANIZED STEEL	AL ALLOY BRASS	BRONZE	
AIR STRAINER MATERIAL: ORIFICE / VENTURI MATERIAL:		STAINLESS STEEL STAINLESS STEEL			
TEST VALVE:		YES	NO		
PRESSURE GAUGE:		YES	NO		
CHECK VALVE:		YES	NO		

\*: OTHER SIZES AND SPECIFICATION CAN BE FOLLOWED RECEIVING CLIENT ORDER




HBP

## INLINE INDUCTOR

ITEM:				
NF-II	INLET:	2 1/2" MALE ISNT. ACC. TO BS-336	OUTLET:	2 1/2" FEMALE ISNT. ACC. TO BS-336
CAPACITY:	400/900 LPM			
MATERIAL:	ALUMINUM			

\*: OTHER SIZES AND SPECIFICATION CAN BE FOLLOWED RECEIVING CLIENT ORDER

Inline Inductors are proportioners characterized by a self-suction mechanism of venturi type. Our inline inductors suck the foam concentrate in the required proportion and make for the proper admixture. The admixture percentages can be set for 1% - 2% - 3% - 6%.



NF-II